Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Previously presented) An article comprising a plurality of layers arranged in the following sequence:
- a) a surface layer comprising a member selected from the group consisting of polymethylmethacrylate, acrylonitrile-butadiene-styrene graft copolymers, polycarbonate, polystyrene, polyvinylchloride, acrylic ester-modified-styreneacrylonitrile terpolymers and combinations thereof;
 - b) a solid thermosetting polyurethane layer;
 - a crosslinked polyurethane elastomer layer; C)
 - a polyurethane foam layer; d)
 - e) a solid thermosetting polyurethane layer; and
 - f) an optional substrate.

wherein each of layers a) through f) is bonded to its immediately adjacent layer or layers.

- 2. (Previously presented) An article comprising a plurality of layers arranged in the following sequence:
- a surface layer comprising a member selected from the group consisting of a) polymethylmethacrylate, acrylonitrile-butadiene-styrene graft copolymers, polycarbonate, polystyrene, polyvinylchloride, acrylic ester modified-styreneacrylonitrile terpolymers and combinations thereof;
 - a solid thermosetting polyurethane layer, b)
 - a crosslinked polyurethane elastomer layer; C)
 - d) a polyurethane foam layer;
 - a solid thermosetting polyurethane layer; and e)
 - an optional surface layer comprising a member selected from the f) group consisting of polymethylmethacrylate, acrylonitrile-butadienestyrene graft copolymers, polycarbonate, polystyrene,

Mo6410

polyvinylchloride, acrylic ester modified-styrene-acrylonitrile terpolymers and combinations thereof, wherein each of layers a) through f) is bonded to its immediately adjacent layer or layers.

- 3. (Previously presented) The article of Claim 1 wherein the polyurethanes of layers (b) and (e), and the polyurethane of layer (c) are each a product of a reaction comprising identical isocyanate reactants.
 - 4. (Cancelled)
 - 5. (Cancelled)
- 6. (Previously presented) The article of Claim 1 wherein said article is selected from the group consisting of a sanitary fitting and a body of a refrigerated vehicle.
- 7. (Previously presented) The article of Claim 2 wherein said article is selected from the group consisting of a sanitary fitting and a body of a refrigerated vehicle.
- 8. (Previously presented) The article of Claim 1 wherein said surface layer (a) comprises polymethylmethacrylate.
- 9. (Previously presented) The article of Claim 2 wherein said surface layer (a) and said optional surface layer (f) each comprises polymethylmethacrylate.
- 10. (Previously presented) The article of Claim 1 wherein said substrate (f) comprises a member selected from the group consisting of glass fiber reinforced polyester, stone, wood, metal and combinations thereof.

Mo6410

- 11. (Previously presented) The article of Claim 1 wherein: thermosetting polyurethane layers (b) and (e) each independently have a thickness of from 0.8 mm to 8 mm; crosslinked polyurethane elastomer layer (c) has a thickness of from 0.5 mm to 4 mm; and polyurethane foam layer (d) has a thickness of from 0.5 mm to 30 mm.
- 12. (Previously presented) The article of Claim 2 wherein: thermosetting polyurethane layers (b) and (e) each independently have a thickness of from 0.8 mm to 8 mm; crosslinked polyurethane elastomer layer (c) has a thickness of from 0.5 mm to 4 mm; and polyurethane foam layer (d) has a thickness of from 0.5 mm to 30 mm.
- 13. (Previously presented) The article of Claim 1 wherein said surface layer (a) is a decorative surface layer.
- 14. (Previously presented) The article of Claim 2 wherein said surface layer (a) and optional surface layer (f) are each independently decorative surface layers.